



Coalescers



Product Specifications	TS1	TS3	TS5	TS10	RTS
Flow Rate	1 GPM	3 GPM	5 GPM	10 GPM	3-10 GPM
Recommended Reservoir Size	≤ 75 Gallons	≤ 200 Gallons	≤ 350 Gallons	≤ 700 Gallons	Batch Processing
Maximum Reservoir Size	150 Gallons	400 Gallons	700 Gallons	1400 Gallons	Batch Processing
Dimensions	32"W x 22"D x 29"H	32"W x 24"D x 64"H	32"W x 30"D x 64"H	32"W x 36"D x 70"H	Variable
Weight	140 lbs	265 lbs	320 lbs	450 lbs	Variable
Tank Holding Capacity	20 Gallons	50 Gallons	70 Gallons	100 Gallons	100 - 500 Gallons
Clean Fluid Discharge Height	10" H	37" H	37" H	37" H	N/A
Pump (Standard)	1/2" Air Diaphragm	1/2" Air Diaphragm	1/2" Air Diaphragm	1" Air Diaphragm	1/2" or 1" AD
Pump Maximum Air Consumption	15 SCFM	15 SCFM	15 SCFM	60 SCFM	15 - 60 SCFM
Air Consumption at Unit Flow Rate	1 SCFM	2 SCFM	4 SCFM	12 SCFM	2 - 12 SCFM
Suction Pickup Type	Dual Weir	Dual Weir	Dual Weir	Spider	Dual Weir or Spider