

# Model 110: Single + Bag

Fischer-Robertson, Inc.  
3890 Symmes Road  
Hamilton, OH 45015  
ph 513-860-3445 fx 513-860-4744  
[www.fischer-robertson.com](http://www.fischer-robertson.com)



**This  
filtration system excels at filtering Cutting oil, Water-Based**

## **coolants, and applications involving large particulate. See more applications below.**

Conserve filter element usage by removing gross particulate contamination with a bag filter! The COMO Model 110 Portable Filtration Cart has a bag filter on the suction side of the pump, thus preserving both the pump and filter elements.

Oil does not wear out; it just gets dirty! Our filtration systems extend fluid life by removing water and particulate. The COMO Model 110 cleans oil continuously with ultra-fine filtration, which saves you money by minimizing equipment wear and oil disposal and replacement costs.

### **COMO Model 110 specifications:**

- One C-1000 filter housing
- One CB-400 bag filter housing
- 1.5 or 3 GPM pump
- Dimensions: 46½"H x 23"W x 24"D
- Approximate shipping weight: 170 lbs.

### **The COMO Model 110 can help you solve the following problems:**

- Wear metals in oil
- Moisture in oil
- System Failure
- High fluid replacement cost
- High fluid disposal cost
- Service outage

### **The COMO Model 110 standard features include:**

- Pressure gauge to monitor element condition
- Inlet wye strainer to protect pump
- Pressure switch with Hi/Low shut off for unattended operation
- Fluid transfer feature with or without filtering
- Flow regulating loop to adjust flow of high viscosity oils through filter
- Power and run indicators
- Stainless steel element lifter

- 115 VAC, 60 Hz, TEFC, 1725 RPM motor

**Additional options available for the COMO Model 110:**

- Motor in any voltage or phase
- Alternative pump (centrifugal or air diaphragm)
- Stainless steel, chrome-plated, blue powder coat, or electro-polished finish

**The COMO Model 110 filters:**

- Cutting oil
- Water-Based coolants
- Drawing oil
- Hydraulic oil
- Lubricating oil
- Water-Glycol fluid
- Ester Base fluid
- Transformer oil
- Vacuum pump oil
- Gear Box oil
- Engine oil