


# KOCH Frames and Housings Overview

Fischer-Robertson, Inc.  
3890 Symmes Road  
Hamilton, OH 45015  
ph 513-860-3445 fx 513-860-4744  
www.fischer-robertson.com



## A8 Type Clips and Fasteners

### A8 Type Clips and Fasteners

- Clips and springs to fit just about any size filter bank.
- 6" and 12" spring latches
- Clips for 2', 4' and 6" filters




## AR Frames and Clips

### Koch Type AR Filter Holding Frame

- **Type AR Filter Holding Frames** are designed for simple and cost-effective construction of filter banks.
- 16 gauge galvanized steel components insure years of reliable usage and make each Type AR Frame virtually indestructible.
- Each frame is equipped with polyurethane gaskets to provide protection against air-bypass.
- Pre-punched holes on the sides of the frame make filter bank construction easy and trouble-free.
- Because it is built with the end user in mind, the Koch Type AR Filter Holding Frame is the ultimate design for straight filter- bank assembly.

### Type CA Clips


- Each Type AR Filter Holding Frame is furnished with Type CA Clips.
- These multi-purpose spring clips make the AR Frame the most versatile holding frame available.
- Type CA Clips are designed to hold many different filters tyles and are available in several lengths.



## Pad Holding Frames

### Pad Holding Frames

- **Koch Pad Holding Frames** are designed for quick and easy filter changes.
- Sturdy 24 gauge frame construction and 10 gauge hinged-gate make the Koch Pad Frame the ultimate design for frame-and-pad installations.



## Permanent Metal Filters

### Permanent Metal Washable Filters

- For air or grease applications
- Available in all-steel or all-aluminum construction
- Completely washable



## Type A8 Frames

### Type A8 and HEPA frames

- Several standard sizes, used individually or in combination to fit just about any size filter bank
- Available with or without gaskets to seal between filter and frame, minimizing air bypass
- Available in 16 gauge galvanized steel and 18 gauge stainless steel
- Frame includes 4 adjustable galvanized legs for filter depth support and work to prevent air bypass



# Filter Housings

## Air Filter Housings

- Versatile line of Air Filter Housings designed for easy installation into original equipment and retrofit filtration systems.
- Standard housings are constructed of 16 gauge steel and can be manufactured to meet specifications in ASHRAE or HEPA applications.
- A wide variety of optional features and housing depths.